

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Effective Date: June 2010

Void After: June 2011

Product: Copper Water Tube

File No. 2427

Issued To: Copper & Brass International Corp.
15055 Woodham Drive
Houston, TX 77073-6024

IDENTIFICATION:

The name or trademark of the manufacturer and the mark indicative of the type shall be permanently (incised) marked on each tube at intervals not greater than 1 in straight lengths shall be further identified throughout its length by means of a colored stripe, symbol, or logo not less than not greater than 3 ft. The legend shall include the type of the tube, name or trademark of the manufacturer, or both, and the country of origin. The manufacturer has the option to include other information. Colors used are: green for Type K, blue for Type L, and red for Type M. Such color marking is not applicable to tube furnished in annealed straight lengths or coils. From C10200 and C12000, the UNS copper designation shall be identified at intervals not greater than 3 ft with color coded ink per 19.3.2. From C10200 and C12000, the UNS copper designation shall be identified with ink or some other permanent mark that is repeated at intervals not greater than 3 ft. Color marking to distinguish Type K from Type L is not required. Tubing shall also bear the cUPC® certification mark.


Chairman, Product Certification Committee


CEO, The IAPMO Group

For the most accurate and updated information please visit <http://pld.iapmo.org/2427>

This listing is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Reproduction of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.



DOC#081A